

Safety Data Sheet

Regulation (EC) No. 1907/2006, 1272/2008

Version: 1.0

Print Date: Sept. 04, 2019

Page 1/1

SDS REPORT

Gellifique Ltd
41 Deantown Avenue, Whitecraig, Musselburgh, Edinburgh, EH21 8NS United Kingdom

SDS Report No. : SDS201908284
Compilation Date : Aug. 26, 2019~ Sept. 04, 2019
Trade Name : Gellifique UV/LED Acrylic Gel
Composition/Ingredient of The Sample : See Section 3 on the SDS
Service Requested : Safety Data Sheet (SDS) for the sample with submitted composition.
Summary : As per request, the contents and formats of the SDS are prepared in accordance with Regulation (EC) No 1907/2006, 1272/2008, Regulation (EU) No 2015/830 and are provided per attached.

* This sample is likely to be classified as cosmetic product and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

Signed for and on behalf of
REAL Technical Center:



SECTION 1: Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

- Trade name: Gellifique UV/LED Acrylic Gel
- Registration number: Data not available

• 1.2 Relevant identified uses of the substance or mixture and uses advised against on

- Application of the substance/ mixture: Used for manicure or pedicure only, to be applied on the nails.

• 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier:

Gellifique Ltd

41 Deantown Avenue, Whitecraig, Musselburgh, Edinburgh, EH21 8NS United Kingdom

Tel: +447518565348

Email: info@gellifique.com

- Further information obtainable from: Gellifique Ltd

• 1.4 Emergency telephone number

UNITED KINGDOM

National Poisons Information Service

Tel: + 44 (0) 844 892 0111

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

Classification according to regulation (EC) 1272/2008:



GHS07 Exclamation mark

Skin Irrit. 2 H315 Causes skin irritation

Skin Sens. 1 H317 May cause an allergic skin reaction

Eye Irrit. 2 H319 Causes serious eye irritation

• Classification system:

The classification is according to the latest edition of Regulation 1272/2008, and extended by company and literature data.

• 2.2 Label elements

- Labeling according to Regulation (EC) No 1272/2008: The product is labeled according to Regulation (EC) No 1272/2008.

• Hazard pictograms:



GHS07

- Signal word: Warning

• Hazard statements:

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

• Precautionary statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

| | |
|--------------------|--|
| P103 | Read label before use. |
| P280 | Wear protective gloves/ eye protection/face protection. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P501 | Dispose of contents/container in accordance with local regulation. |

• 2.3 Other hazards

• Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

SECTION 3: Composition/information on ingredients

• 3.1 Chemical characterization: Mixture

• Description:

Mixture of the substances listed below with nonhazardous additions; For the wording of the listed risk phrases refer to section 16.

• Component:

| | | |
|---|---|--|
| CAS No.: 25035-69-2 EC No.: 607-492-1 | Acrylates Copolymer | |
| CAS No.: 9011-14-7 EC No.: 618-466-4 | Polymethyl methacrylate | |
| CAS No.: 25038-59-9 EC No.: 607-507-1 | Polyethylene terephthalate substance with a Community workplace exposure limit | |
| CAS No.: 15625-89-5 EC No.: 239-701-3 Index No.: 607-111-00-9 | Trimethylolpropane Triacrylate ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319 | |
| CAS No.: 9016-00-6 EC No.: 618-493-1 | Dimethylsiloxane | |
| CAS No.: 63231-60-7 EC No.: 264-038-1 | Microcrystalline Wax | |
| May contain: | | |
| CAS No.: 5858-81-1 EC No.: 227-497-9 | D&C Red No. 6 | |
| CAS No.: 1317-61-9 EC No.: 215-277-5 | Iron Oxide | |
| CAS No.: 3844-45-9 EC No.: 223-339-8 | Blue 1 | |
| CAS No.: 12240-15-2 EC No.: 602-780-3 | Ferric Ferrocyanide | |
| CAS No.: 1934-21-0 EC No.: 217-699-5 | Yellow 5 | |
| CAS No.: 81-48-1 EC No.: 201-353-5 | Violet 2 | |
| CAS No.: 7787-59-9 EC No.: 232-122-7 | Bismuth Oxychloride | |
| CAS No.: 2379-74-0 | D & C Red No. 30 | |

| | | |
|--|---|------|
| EC No.: 219-163-6 | | |
| CAS No.: 6417-83-0 EC No.: 229-142-3 | D & C Red no. 34 | 0.1% |
| CAS No.: 1333-86-4 EC No.: 215-609-9 | Black 2 substance with a Community workplace exposure limit | 0.1% |
| CAS No.: 8003-22-3 EC No.: 232-318-2 | D & C Yellow no. 11 | 0.1% |
| CAS No.: 7429-90-5 EC No.: 231-072-3 Index No.: 013-002-00-1 | Aluminum Powder ⚠ Flam. Sol. 1, H228; Water-react. 2, H261 | 0.1% |
| CAS No.: 1309-37-1 EC No.: 215-168-2 | Iron oxide substance with a Community workplace exposure limit | 0.1% |
| CAS No.: 12769-96-9 EC No.: 235-811-0 | Ultramarines | 0.1% |

Remark:

- 1) D&C Red No. 6 synonyms: CI 15850;
- 2) Iron Oxide synonyms: CI 77499;
- 3) Blue 1 synonyms: Brilliant blue; FD and C Blue No. 1; CI 42090;
- 4) Ferric Ferrocyanide synonyms: CI 77510;
- 5) Yellow 5 synonyms: FD&C Yellow No. 5; CI 19140;
- 6) Violet 2 synonyms: Solvent Violet 13; CI 60725;
- 7) Bismuth Oxochloride synonyms: CI 77163;
- 8) D & C Red No. 30 synonyms: CI 73360;
- 9) D & C Red no. 34 synonyms: CI 15880;
- 10) Black 2 synonyms: Carbon black; CI 77266;
- 11) D & C Yellow no. 11 synonyms: Solvent Yellow 33; CI 47000;
- 12) Aluminum Powder synonyms: CI 77000;
- 13) Iron oxide synonyms: CI 77491;
- 14) Ultramarines synonyms: CI 77007

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice: If medical advice is needed, have product container or label at hand.

After inhalation: Supply with fresh air. Call a POISON CENTER/doctor, if you feel unwell.

After skin contact: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After swallowing: Wash mouth. Do NOT induce vomiting; Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed: Causes skin irritation; May cause an allergic skin reaction; Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed: Treatment according to symptoms, no known specific medicine.

SECTION 5: Fire-fighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO₂, dry powder, water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture:** Carbon monoxide and carbon dioxide.
- **5.3 Advice for firefighters**

Protective equipment:

Wear an approved positive pressure self-contained breathing apparatus (Comply with EN 133).

SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures:**

Cut off leakage source and collect spillage timely if safe do it; Ensure adequate ventilation; Wear personal protective equipment; Avoid contact with eyes and skin.

• **6.2 Environmental precautions:**

Prevent further leakage or spillage if safe to do so; Prevent spillage from entering drains, sewer, basement or confined areas; if the spillage contaminates rivers, lakes or drains inform respective authorities.

• **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust); Ensure good ventilation; Dispose contaminated material as waste according to item 13.

• **6.4 Reference to other sections:**

See section 7 for information on safe handling; See section 8 for information on personal protection equipment; See section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling:**

Read label before use; Ensure adequate ventilation; Wear personal protective equipment; Avoid contact with eyes and skin.

• **Information about fire and explosion protection:** Normal measures for preventive fire protection.

• **7.2 Conditions for safe storage, including any non-compatibility**

• **Requirements to be met by storerooms and receptacles:** Store in a cool and well-ventilation location.

• **Information about storage in one common storage facility:** Keep out of reach of children.

• **Further information about storage conditions:** Store locked up.

• **7.3 Specific end use(s):** Used for manicure or pedicure only, to be applied on the nails.

SECTION 8: Exposure controls/personal protection

• **8.1 Control parameters**

• **Ingredients with limit values that require monitoring at the workplace:**

| Country | Limit value - Eight hours | Limit value - Short term |
|---|---------------------------|--|
| 25038-59-9 Polyethylene terephthalate (22.3%) | | |
| Latvia | 5 mg/m ³ | - |
| 1333-86-4 Black 2(0.1%) | | |
| Australia | 3 mg/m ³ | - |
| Belgium | 3.5 mg/m ³ | - |
| Denmark | 3.5 mg/m ³ | 7.0 mg/m ³ |
| Finland | 3.5 mg/m ³ | 7 mg/m ³ 15 minutes average value |

| | | |
|--------------------------------|---|--|
| France | 3.5 mg/m ³ | - |
| Ireland | 3.5 mg/m ³ | 7 mg/m ³ 15 minutes reference period |
| Spain | 3.5 mg/m ³ | - |
| Sweden | 3 mg/m ³ | - |
| United Kingdom | 3.5 mg/m ³ | 7 mg/m ³ |
| 7429-90-5 Aluminum metal(0.1%) | | |
| Austria | 10mg/m ³ Inhalable fraction; 5 mg/m ³ Respirable fraction | 20mg/m ³ Inhalable fraction; 60 minutes average value; 10mg/m ³ Respirable fraction; 60 minutes average value |
| Denmark | 5mg/m ³ Inhalable aerosol; 2mg/m ³ Respirable aerosol | 10mg/m ³ Inhalable aerosol; 4mg/m ³ Respirable aerosol |
| France | 10 mg/m ³ inhalable aerosol; 5 mg/m ³ Respirable aerosol | - |
| Germany (DFG) | 4 mg/m ³ Inhalable aerosol; 1.5 mg/m ³ Respirable aerosol | - |
| Hungary | 6 mg/m ³ Respirable aerosol | - |
| Ireland | 1 mg/m ³ Respirable fraction | - |
| Latvia | 2 mg/m ³ | - |
| Spain | 10 mg/m ³ Inhalable aerosol; 5 mg/m ³ Respirable aerosol | - |
| United Kingdom | 10 mg/m ³ Inhalable aerosol; 4 mg/m ³ Respirable aerosol | - |
| 1309-37-1 Iron oxide | | |
| Belgium | 2ppm; 5 mg/m ³ | - |
| Denmark | 3.5 mg/m ³ Total dust | 7 mg/m ³ Total dust |
| Finland | 5 mg/m ³ Calculated as Fe | - |
| France | 5 mg/m ³ Respirable aerosol | - |
| Ireland | 10mg/m ³ Inhalable fraction ; 4 mg/m ³ Respirable fraction | - |
| Poland | 5 mg/m ³ | 10 mg/m ³ |
| Romania | 5 mg/m ³ | 10 mg/m ³ 15 minutes average value |
| United Kingdom | 10 mg/m ³ Inhalable aerosol; 4 mg/m ³ Respirable aerosol | - |

• DNELs:

| DNEL type | DNEL worker value | DNEL consumer value |
|---|--------------------------------|------------------------|
| 15625-89-5 Trimethylolpropane Triacrylate | | |
| Systemic effects | Long-term, inhalation exposure | 3.5 mg/m ³ |
| | Long-term, dermal exposure | 83 mg/kg bw/day |
| | Long-term, oral exposure | - |
| 1317-61-9 Iron Oxide | | |
| Local Effects | Long-term, inhalation exposure | 10 mg/m ³ |
| 1333-86-4 Black 2 | | |
| Systemic Effects | Long-term, inhalation exposure | 1 mg/m ³ |
| Local Effects | Long-term, inhalation exposure | 500 µg/m ³ |
| 7429-90-5 Aluminum Powder | | |
| Systemic Effects | Long-term, inhalation exposure | 3.72 mg/m ³ |
| | Long-term, oral exposure | - |
| Local Effects | Long-term, inhalation exposure | 3.72 mg/m ³ |

• **PNECs:**

| PNEC type | Value |
|---|-----------------------|
| 15625-89-5 Trimethylolpropane Triacrylate | |
| Freshwater | 870 ng/L |
| Intermittent releases (freshwater) | 8.7 µg/L |
| Marine water | 87 ng/L |
| Sewage treatment plant (STP) | 6.25 mg/L |
| Sediment (freshwater) | 17 µg/kg sediment dw |
| Sediment (marine water) | 1.7 µg/kg sediment dw |
| 1333-86-4 Black 2 | |
| Freshwater | 1-50 mg/L |
| Intermittent releases (freshwater) | 10 mg/L |
| Marine water | 100 µg/L |
| Intermittent releases (marine water) | 1 mg/L |
| 7429-90-5 Aluminum Powder | |
| Sewage treatment plant (STP) | 20 mg/L |

• **Additional information:** The lists valid during the marking were used as basis.

• **8.2 Exposure controls**

• **Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.**

• **Appropriate engineering controls:**

Handle in accordance with good industrial hygiene and safety practice; Wash hands and face before breaks and at the end of work; Take off contaminated clothing and wash it before reuse; See section 7 for information about design of technical facilities.

• **Personal protective equipment**

• **Respiration protection:** Dust mask is recommended.

• **Protection of hands:**



Protective gloves

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness > 0.11mm; breakthrough times up to 480 minutes).

• **Eye protection:**



Safety glasses

Protective goggles with side-shields.

• **Environmental exposure controls:**

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties

• **9.1 Information on basic physical and chemical properties**

• **Appearance:**

| | |
|-----------------------|----------------|
| Form | Paste |
| Color | Multicolor |
| Odor | Odorless |
| Odor threshold | Not applicable |
| • pH-value | Not determined |
| • Change in condition | |

| | |
|--|--|
| Melting point/melting range | Not determined |
| Boiling point and boiling range | Not determined |
| • Freezing point | Not determined |
| • Flash point | >60°C (closed cup) |
| • Flammability(solid, gas) | Not applicable |
| • Decomposition temperature | Not determined |
| • Self-ignition | Not determined |
| • Danger of explosion | Not determined |
| • Explosion limits | |
| Lower: | Not determined |
| Upper: | Not determined |
| • Oxidizing properties | Not determined |
| • Vapor pressure | Not determined |
| • Density | Not determined |
| • Relative density | Not determined |
| • Vapor density | Not determined |
| • Evaporation rate | Not determined |
| • Solubility in/Miscibility with | |
| Water | Not determined |
| • Partition coefficient (n-octanol/water) | Not determined |
| • Viscosity | |
| Dynamic | Not determined |
| Kinematic | Not determined |
| • 9.2 Other information | cruelty free,vegan, not tested on animals. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity:** No decomposition if used according to specification.
- **10.2 Chemical stability:** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions:** No further relevant information available.
- **10.4 Conditions to avoid:** High temperatures.
- **10.5 Incompatible materials:** Strong acid, strong oxidizing agents and strong alkalis.
- **10.6 Hazardous decomposition products:** No further relevant information available.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:** No animal test has been done for this product or the components.
- **Skin corrosion/irritation:** Causes skin irritation.
- **Serious eyes damage/ irritation:** Causes serious eye irritation.
- **Respiratory or skin sensitization:** May cause an allergic skin reaction.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** Not hazardous to the aquatic environment.

| | |
|--|--|
| 15625-89-5 Trimethylolpropane Triacrylate | |
| Short-term toxicity to fish | LC50 (4 days) 870 µg/L NOEC (4 days) 890 µg/L LOEC (4 days) 1.71 mg/L |
| Short-term toxicity to aquatic invertebrates | LC50 (48 h) 19.9 mg/L |
| Toxicity to aquatic algae and cyanobacteria | EC50 (4 days) 4.86 mg/L |
| 63231-60-7 Microcrystalline Wax | |
| Short-term toxicity to fish | LL50 (4 days) 100 mg/L |
| Short-term toxicity to aquatic invertebrates | LL50 (4 days) 10 g/L EL50 (48 h) 10 g/L |
| 1317-61-9 Iron Oxide | |
| Toxicity to microorganisms | EC50 (3 h) 10 g/L |
| 1333-86-4 Black 2 | |
| Short-term toxicity to aquatic invertebrates | EC50 (24 h) 5.6 g/L NOEC (24 h) 3.2 g/L |
| Toxicity to aquatic algae and cyanobacteria | EC50 (72 h) 10 g/L NOEC (72 h) 10 g/L |
| 7429-90-5 Aluminum Powder | |
| Short-term toxicity to fish | LC50 (16 days) 430 - 3 910 µg/L |
| Long-term toxicity to fish | NOEC (28 days) 4.7 - 23.1 mg/L |
| Short-term toxicity to aquatic invertebrates | EC50 (48 h) 1.5 - 2.56 mg/L LC50 (4 days) 22 - 30.6 mg/L NOEC (4 days) 22.6 mg/L |
| Long-term toxicity to aquatic invertebrates | NOEC (28 days) 53.1 - 4 281.8 µg/L |
| Toxicity to aquatic algae and cyanobacteria | EC50 (4 days) 5.4 - 570 µg/L NOEC (72 h) 4 - 600 µg/L LOEC (72 h) 400 - 1 000 µg/L |
| 1309-37-1 Iron oxide | |
| Short-term toxicity to aquatic invertebrates | EC50 (48 h) 100 mg/L |
| Toxicity to microorganisms | EC50 (3 h) 10 g/L |

- **12.2 Persistence and degradability:** Readily biodegradable.

| | | |
|------------|--------------------------------|-----------------------|
| 15625-89-5 | Trimethylolpropane Triacrylate | Readily biodegradable |
|------------|--------------------------------|-----------------------|

- **12.3 Bio-accumulative potential:** Moderate bio-accumulation.

| | | |
|------------|--------------------------------|---------------|
| 15625-89-5 | Trimethylolpropane Triacrylate | Log Pow= 4.35 |
|------------|--------------------------------|---------------|

- **12.4 Mobility in soil:** Data not available.

- **12.5 Results of PBT and vPvB assessment**

PBT: Not applicable

vPvB: Not applicable

- **12.6 Other adverse effects:** No further relevant information available.
- **12.7 Additional ecological information**
- **General notes:** Water hazard class 1 (German Regulation) (self-assessment): Slightly hazardous for water.
Do not allow large quantities of the product to reach ground water, water course or sewage system.

SECTION 13: Disposal consideration

- **13.1 Waste treatment methods**
- **Recommendation:** Must not be disposed together with household garbage.
- **13.2 Un-cleaned packaging**
- **Recommendation:** Dispose of contents/container in according to the local/regional/national/ international regulation.

SECTION 14: Transport information

| | |
|--|--|
| • 14.1 UN-Number ADR, RID, ADN, IMDG, IATA | Not regulated as dangerous transport goods |
| • 14.2 UN proper shipping name ADR, RID, ADN, IMDG, IATA | Void |
| • 14.3 Transport hazard class (es) ADR, RID, ADN, IMDG, IATA Class Label | Void Void Void |
| • 14.4 Packing group ADR, RID, ADN, IMDG, IATA | Void |
| • 14.5 Marine pollution | No |
| • 14.6 Special precautions for user Danger code (Kemler) EMS Number | Void Void Void |
| • 14.7 UN "Model Regulation" | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **MAK (German Maximum Workplace Concentration):**

| | | |
|-----------|------------|----|
| 1317-61-9 | Iron Oxide | 3B |
| 1333-86-4 | Black 2 | 3B |
| 1309-37-1 | Iron oxide | 3B |

- **Directive 2012/18/EU**
- **Named dangerous substances-ANNEX I:** None of the ingredients is listed.
- **Seveso category:** Not applicable.
- **Qualifying quantity (tonnes) for the application of lower-tier requirements:** Not applicable.
- **Qualifying quantity (tonnes) for the application of upper-tier requirements:** Not applicable.
- **National regulations.**
- **Water hazard class:** Water hazard class 1 (German Regulation) (self-assessment): Slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **SVHC Candidate list of REACH Regulation Annex XIV Authorization:** None of the ingredients is listed.

- **REACH Regulation Annex XVII Restriction:** None of the ingredients is listed.
- **REACH Regulation Annex XIV Authorization List:** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safe Assessment has not been carried out.

SECTION 16: Other information

Relevant phrases:

- H228 Flammable solid
- H261 In contact with water releases flammable gases
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bio accumulative and Toxic

SVHC: Substance of Very High Concern

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

EC50: Concentration of maximal effect, 50 percent

LL50: Lethal loading rate, 50 percent

EL50: Effective loading rate, 50 percent

NOEC: No observed effect concentration

LOEC: Lowest Observed Effect Concentration

Flam. Sol. 2: Flammable solid, hazard category 2

Water-react. 2: Contact with water emit flammable gases, hazard category 2

Skin Irrit.2: Skin corrosion/irritation, hazard category 2

Skin Sens. 1: Respiratory or skin sensitization, hazard category 1

Eye Irrit. 2: Eye damage/irritation, hazard category 2

End of safety data sheet

